

KS3023
Table Lamp



Model	LED	Power	Luminance	Lux	Color Temperatur	Life of LED
KS3023	22pcs	2.5W	250Lm	900Lux	6000K	25000h
Adapter	Switch	Lead-acid battery	Connector	Qty/ctn	Carton size(mm)	
DC5V	Capacitive touch with Dimmer	400mAh	Micro-USB	36pcs	720X420X350mm	

KS3024
Table Lamp




Model	LED	Power	Luminance	Lux	Color Temperatur	Life of LED
KS3024	22pcs	2.5W	250Lm	900Lux	6000K	25000h
Adapter	Switch	Lead-acid battery	Connector	Qty/ctn	Carton size(mm)	
DC5V	Capacitive touch with Dimmer	700mAh	Micro-USB	36pcs	720X420X350mm	



9130
Table Magnifier Lamp



Product Size Drawing




Model	Lens size	Magnification	LED	Power	Luminance	Lux
9130	120x80mm	4D	30pcs	3W	350Lm	1200Lux
Color Temperature	Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
6000K	25000h	DC12V	Capacitive Touch with Dimmer	White/Black	12pcs	530X420X540mm



9130T
Table Magnifier Lamp



Product Size Drawing



Model	Lens size	Magnification	LED	Power	Luminance	Lux
9130	120x80mm	4D	30pcs	3W	350Lm	1200Lux
Color Temperature	Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
6000K	25000h	DC12V	Capacitive Touch with Dimmer	White/Black	12pcs	530X420X540mm



9827K
Clamp Magnifier Lamp



PC Cover




127mm lens



Aluminum Clamp

Product Size Drawing



Model	Lens size	Magnification	LED	Power	Luminance	Lux
9827K	127mm	3D/5D/8D	81pcs	8W	1000Lm	3800Lux
Color Temperature	Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
6000K	25000h	DC12V	Capacitive touch with dimmer	White	6pcs	690X510X270mm



9827X
Clamp Magnifier Lamp



Sterilizing lamp



PC Cover




127mm lens



Aluminum Clamp

Product Size Drawing



Model	Lens size	Magnification	LED	Power	UVA
9827X	127mm	3D/5D/8D	81pcs	8W	390-395
Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
25000h	DC12V	Capacitive touch with dimmer	White	6pcs	690X510X270mm




Exclusively patent design
Originality in the industry
Conveniently interchangeable
with table base and clamp



9006
Table Magnifier Lamp



Product Size Drawing




Model	Lens size	Magnification	LED	Power	Luminance	Lux	Color Temperatur
9006	110mm, 25mm	3D, 8D	6pcs	0.5W	60Lm	120Lux	6000K
Life of LED	Adapter	Lithium Cell	Switch	Interface	Qty/ctn	Carton size(mm)	
25000h	DC5V	400mAh	Capacitive touch with Dimmer	Micro-USB	20pcs	715X385X420mm	



9145
Table Magnifier Lamp



Product Size Drawing



Exclusively patent design
Originality in the industry
Conveniently interchangeable
with table base and clamp


Model	Lens size	Magnification	LED	Power	Luminance	Lux
9145	90mm, 20mm	3D, 8D	45pcs	6W	550Lm	2200Lux
Color Temperature	Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
6000K	25000h	DC12V	Capacitive Touch	White/Black	12pcs	640X395X290mm



9145T
Table Magnifier Lamp



Product Size Drawing



Exclusively patent design
Originality in the industry
Conveniently interchangeable
with table base and clamp


Model	Lens size	Magnification	LED	Power	Luminance	Lux
9145T	90mm, 20mm	3D, 8D	45pcs	6W	550Lm	2200Lux
Color Temperature	Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
6000K	25000h	DC12V	Capacitive Touch with Dimmer	White/Black	12pcs	640X395X290mm



9190
Clamp Magnifier Lamp



Product Size Drawing




Model	Lens size	Magnification	LED	Power	Luminance	Lux
9190	90mm, 20mm	3D, 8D	45pcs	6W	550Lm	2200Lux
Color Temperature	Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
6000K	25000h	DC12V	Recker Switch	White	24pcs	600X600X700mm



9711
Clamp Magnifier Lamp



Product Size Drawing



Model	Lens size	Magnification	LED	Power	Luminance	Lux
9711	110mm	5D	72pcs	7W	880Lm	3300Lux
Color Temperature	Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
6000K	25000h	DC12V	Capacitive touch with dimmer	White/Black	12pcs	630X550X510mm





9827
Clamp Magnifier Lamp



PC Cover




127mm lens



Aluminum Clamp

Product Size Drawing



Model	Lens size	Magnification	LED	Power	Luminance	Lux
9827	127mm	3D/5D/8D	81pcs	8W	1000Lm	3800Lux
Color Temperature	Life of LED	Adapter	Switch	Color Available	Qty/ctn	Carton size(mm)
6000K	25000h	DC12V	Capacitive touch with dimmer	White	6pcs	690X510X270mm



9981
Clamp Magnifier Lamp



Touch Switch



PC Cover




138mm Glass Lens
60mm lens



Aluminum Clamp

Product Size Drawing



Model	Lens size	Magnification	LED	Power	UV LED	Superbright LED	
9981	138mm, 60mm	3D,15D/5D,20D	81pcs	11W	6pcs	1pc, 1W	
Luminance	Lux	Color Temperat	Life of LED	Adapter	Switch	Qty/ctn	Carton size
1000Lm	4000Lux	6000K	25000h	DC12V	Capacitive Touch with Dimmer	6pcs	640X450X360mm



Magnifying lamp

RoHS   



8620L

8620M

Magnifying lamp

RoHS   



8612AL

8612AM



55 LED lamp

The Function of Portable & Rechargeable Magnifying Lamp

1. The Magnifying Lamp is portable: can be used wherever you want, no limited of power cord, easy use
2. The Magnifying Lamp is rechargeable: with rechargeable batteries, can be used without outer power supply, avoiding the inconvenience of power failure, can work 2 hours without outer power supply, can be recharged directly with adapter when power insufficiency
3. The Magnifying Lamp is regulated: with dimmer under the advanced PWM system, the lightness can be regulated according to your requirements, more convenient and comfortable



40 LED Lamp

The Function of Portable & Rechargeable Magnifying Lamp

1. The Magnifying Lamp is portable: can be used wherever you want, no limited of power cord, easy use
2. The Magnifying Lamp is rechargeable: with rechargeable batteries, can be used without outer power supply, avoiding the inconvenience of power failure, can work 2 hours without outer power supply, can be recharged directly with adapter when power insufficiency
3. The Magnifying Lamp is regulated: with dimmer under the advanced PWM system, the lightness can be regulated according to your requirements, more convenient and comfortable

Model	Lens material	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Luminance	Color available	Working time	Power Control
8620L	Acrylic (Fresnel)	7"X4.32"	3D,5D for choice	100V-240V	55 LEDs	3.5W	20000h	400lm	White, black	/	Supplied with switching power
8620M				DC12V with adapter						1.5h	

* **8620M**: Rechargeable and Dimmer Control. Battery : 8pcs Ni-Cd /8pcs Ni-MH Lightness range: 0%~100% Linear

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Luminance	Color available	Working time	Power Control
8612AL	4"	3D,8D bifocal lens	100V-240V	40 LEDs	3W	20000h	270lm	White, black	/	Supplied with switching power
8612AM			DC12V with adapter						2 h	

* **8612AM**: Rechargeable and Dimmer Control. Battery : 8pcs Ni-Cd /8pcs Ni-MH Lightness range: 0%~100% Linear

Magnifying lamp

RoHS   



8601M



The Function of Portable & Rechargeable LED Magnifying Lamp

- 1.The LED Magnifying Lamp is portable: can be used wherever you want, no limited of power cord, easy use.
- 2.The LED Magnifying Lamp is rechargeable: with rechargeable Lithium Cell, can be used without outer power supply, avoiding the inconvenience of power failure, can work 1 hour without outer power supply, can be recharged directly with adapter when power insufficiency.
- 3.The LED Magnifying Lamp is regulated: With dimmer the LED light can be regulated according to your requirements, more convenient and comfortable.

Magnifying lamp

RoHS   



8601L



Lens size	Diopter	Light	Input voltage	Power	Rechargeable and 4-level Dimmer control Touch-sensitive control panel With 3 LED lenses	
5"	3D	3 LEDs	DC 12V with adapter	3x1W		
Battery		Battery working time	Dimmer range	Life of the LED	Luminance	Color available
500mAh Lithium Cell		1h	40%-100%	20000h	260lm	White, black

Highlight: Our Patent Application on LED Magnifying Lamp---Use 3 LED Lenses to improve the light distribution, gathering all light to the area under magnifier.

Lens size	Diopter	Light	Input voltage	Power	Life of the LED	Luminance	Color available	4-level Dimmer Switch With 3 LED lenses
5"	3D	3 LEDs	DC 12V with adapter	3x1W	20000h	260lm	White, black	

Highlight: Our Patent Application on LED Magnifying Lamp---Use 3 LED Lenses to improve the light distribution, gathering all light to the area under magnifier.

Magnifying lamp

RoHS   



8611L/8611-D

Magnifying lamp

RoHS   



8611AL/8611A-D



24 LED Lamp



11W(G10q) Circular fluorescent lamp



24 LED Lamp



11W(G10q) Circular fluorescent lamp

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8611L	3.5"	3D,8D bifocal lens	100V-240V	24 LEDs	5W	20000h	/	480lm	White, black	Supplied with switching power
8611-D			110V-120V/220V-240V	T4 Fluorescent lamp	11W	/	5000h	450lm		Supplied with electronic ballast

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8611AL	3.5"	3D,8D bifocal lens	100V-240V	24 LEDs	5W	20000h	/	480lm	White, black	Supplied with switching power
8611A-D			110V-120V/220V-240V	T4 Fluorescent lamp	11W	/	5000h	450lm		Supplied with electronic ballast

Magnifying lamp

RoHS   



8611BL/8611B-D



24 LED Lamp



11W(G10q) Circular fluorescent lamp

Magnifying lamp

RoHS   

New!



8603L



Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8611BL	3.5"	3D,8D bifocal lens	100V-240V	24 LEDs	5W	20000h	/	480lm	White, black	Supplied with switching power
8611B-D			110V-120V/220V-240V	T4 Fluorescent lamp	11W	/	5000h	450lm		Supplied with electronic ballast

Lens size	Diopter	Light	Input voltage	Power	Life of the LED	Luminance	Color available	Supplied with switching power
6. 4"X5"	3D,20D bifocal lens	6 LEDs	DC 12V with adapter	6x1W	20000h	550lm	White	With 6 LED lenses

Highlights:

- 1.Our Patent Application on LED Magnifying Lamp---Use 6 LED Lenses to improve the light distribution, gathering all light to the area under magnifier.
- 2.Safety Arm---with plastic cover on the outside of bracket, avoid nipping hands when adjusting the arms.

Magnifying lamp

RoHS   

New!



8610L



Magnifying lamp

RoHS   



8607L/8607



80 LED lamp



T5 22W Circular fluorescent lamp

Lens size	Diopter	Light	Input voltage	Power	Life of the LED	Luminance	Color available	Supplied with switching power
5"	3D	6 LEDs	DC 12V with adapter	6x1W	20000h	550lm	White	With 6 LED lenses

Highlights:

- 1.Our Patent Application on LED Magnifying Lamp---Use 6 LED Lenses to improve the light distribution, gathering all light to the area under magnifier.
- 2.Safety Arm---with plastic cover on the outside of bracket, avoid nipping hands when adjusting the arms.

Model	Lens material	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8607L	Acrylic (Fresnel)	7"	3D and 5D	100V-240V	80 LEDs	6.5W	20000h	/	560lm	Silver	Supplied with switching power
8607				110V-120V/ 220V-240V	T5 Fluorescent lamp	22W	/	5000h	700lm		Supplied with electronic ballast

Magnifying lamp

RoHS   




8609L/8609-D

Magnifying lamp


RoHS   




8609DL/8609D-D




36 LED Lamp



2x9W energy saving lamp



36 LED Lamp



2x9W energy saving lamp

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8609L	7.5"x6.2"	3D,5D for choice	100V-240V	36 LEDs	7W	20000h	/	750lm	White	Supplied with switching power
8609-D			110V-120V/220V-240V	T4 Fluorescent lamp	2X9W	/	5000h			Supplied with electronic ballast

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8609DL	7.5"x6.2"	3D,5D for choice	100V-240V	36 LEDs	7W	20000h	/	750lm	White	Supplied with switching power
8609D-D			110V-120V/220V-240V	T4 Fluorescent lamp	2X9W	/	5000h			Supplied with electronic ballast

Magnifying lamp

RoHS   




8608L/8608-D

8608CL/8608C-D

Magnifying lamp

RoHS   



8608EL/8608E-D

8608DL/8608D-D



36 LED lamp



22W Circular fluorescent lamp



36 LED lamp




22W Circular fluorescent lamp

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8608L/ 8608CL	5"	3D,5D,8D for choice	100V-240V	36 LEDs	7W	20000h	/	750lm	White	Supplied with switching power
8608-D/ 8608C-D			110V-120V/ 220V-240V	T9 Fluorescent lamp	22W	/	5000h			Supplied with electronic ballast

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8608EL/ 8608DL	5"	3D,5D,8D for choice	100V-240V	36 LEDs	7W	20000h	/	750lm	White	Supplied with switching power
8608E-D/ 8608D-D			110V-120V/ 220V-240V	T9 Fluorescent lamp	22W	/	5000h			Supplied with electronic ballast

Magnifying lamp

RoHS   



8606L/8606-D

8606CL/8606C-D

Magnifying lamp

RoHS   



8606EL/8606E-D

8606DL/8606D-D



36 LED lamp



22W Circular fluorescent lamp



36 LED lamp



22W Circular fluorescent lamp

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8606L/ 8606CL	5"	3D,5D,8D for choice	100V-240V	36 LEDs	7W	20000h	/	750lm	White	Supplied with switching power
8606-D/ 8606C-D			110V-120V/ 220V-240V	T9 Fluorescent lamp	22W	/	5000h			Supplied with electronic ballast

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8606EL/ 8606DL	5"	3D,5D,8D for choice	100V-240V	36 LEDs	7W	20000h	/	750lm	White	Supplied with switching power
8606E-D/ 8606D-D			110V-120V/ 220V-240V	T9 Fluorescent lamp	22W	/	5000h			Supplied with electronic ballast

Magnifying lamp

RoHS   



8606AL/8606A



60 LED lamp



T5 22W Circular fluorescent lamp

Model	Lens size	Diopter	Input voltage	Light	Power	Life of the LED	Life of the lamp	Luminance	Color available	Power Control
8606AL	5"	3D,5D for choice	100V-240V	60 LEDs	7W	20000h	/	420lm	White	Supplied with switching power
8606A			110V-120V/220V-240V	T5 Fluorescent lamp	22W	/	5000h	650lm		Supplied with electronic ballast

Accessories of Magnifying lamp

Accessories



PL 9W



T4 11W(G23)



T4 11W(G10q)



T4 12W



T5 22W



T9 22W



SM Heavy floorstand



SM-NEW Heavy floorstand